

Additional Line Items

Aluminum Doors OR 18mm High Gloss Solid Acrylic

Quote
Order

Company: _____
 Contact Name: _____
 Address: _____
 City / State / Zip: _____
 Phone #: _____
 Email: _____

Email form to orders@element-designs.com

Date: _____ PO#: _____
 Project Name: _____
 Architect / Design Firm: _____
 Installation Date: _____

① Profile Type _____
 ② Profile Finish _____
 ③ Insert Type _____
all inserts are 5/32" (4mm)
OR
 ① 18mm Color _____
 ② Edge Radius _____
 ③ Integrated Pull _____

Item	Qty	Dimensions		in OR mm	Left (L)	Right (R)	Up (U)	Drawer (D)	Panel (P)	# Hinge Bore per Door	Element Designs Use Only	
		Width	Height								Price	Ext. Price
20					L	R	U	D	P			
21					L	R	U	D	P			
22					L	R	U	D	P			
23					L	R	U	D	P			
24					L	R	U	D	P			
25					L	R	U	D	P			
26					L	R	U	D	P			
27					L	R	U	D	P			
28					L	R	U	D	P			
29					L	R	U	D	P			
30					L	R	U	D	P			
31					L	R	U	D	P			
32					L	R	U	D	P			
33					L	R	U	D	P			
34					L	R	U	D	P			
35					L	R	U	D	P			
36					L	R	U	D	P			
37					L	R	U	D	P			
38					L	R	U	D	P			
39					L	R	U	D	P			
40					L	R	U	D	P			
41					L	R	U	D	P			
42					L	R	U	D	P			
43					L	R	U	D	P			
44					L	R	U	D	P			
45					L	R	U	D	P			
46					L	R	U	D	P			
47					L	R	U	D	P			
48					L	R	U	D	P			
49					L	R	U	D	P			

Special Instructions: _____

Knobs/Pulls:	
Hardware:	
Shipping:	
TOTAL:	

Hinge and Handle Specs

Line Item #(s) _____

Hinge Borings

X1 = _____ or B = _____ (std=6MM)
(std=23.5mm / 0.925")

X2 TOP/LEFT = _____ (minimum=3")
(std=3 1/2")

X2 BOTTOM/RIGHT = _____ (minimum=3")
(std=3 1/2")

X3 = _____ (optional) ** For equally spaced hinges,
 please use "equal" or
 X4 = _____ (optional) "centered" to fill in the X3,
 X4 and X5 fields

X5 = _____ (optional)

Handle Borings

of Holes: _____

K1 = _____ (Knob or Pull)
(standard=centered on frame)

K2 = _____ (Knob or Pull)
(Minimum=2 1/4") (standard=2 1/2")

KC = _____ (Pull only)
(center to center distance)

Line Item #(s) _____

Hinge Borings

X1 = _____ or B = _____ (std=6MM)
(std=23.5mm / 0.925")

X2 TOP/LEFT = _____ (minimum=3")
(std=3 1/2")

X2 BOTTOM/RIGHT = _____ (minimum=3")
(std=3 1/2")

X3 = _____ (optional) ** For equally spaced hinges,
 please use "equal" or
 X4 = _____ (optional) "centered" to fill in the X3,
 X4 and X5 fields

X5 = _____ (optional)

Handle Borings

of Holes: _____

K1 = _____ (Knob or Pull)
(standard=centered on frame)

K2 = _____ (Knob or Pull)
(Minimum=2 1/4") (standard=2 1/2")

KC = _____ (Pull only)
(center to center distance)

Line Item #(s) _____

Hinge Borings

X1 = _____ or B = _____ (std=6MM)
(std=23.5mm / 0.925")

X2 TOP/LEFT = _____ (minimum=3")
(std=3 1/2")

X2 BOTTOM/RIGHT = _____ (minimum=3")
(std=3 1/2")

X3 = _____ (optional) ** For equally spaced hinges,
 please use "equal" or
 X4 = _____ (optional) "centered" to fill in the X3,
 X4 and X5 fields

X5 = _____ (optional)

Handle Borings

of Holes: _____

K1 = _____ (Knob or Pull)
(standard=centered on frame)

K2 = _____ (Knob or Pull)
(Minimum=2 1/4") (standard=2 1/2")

KC = _____ (Pull only)
(center to center distance)

Line Item #(s) _____

Hinge Borings

X1 = _____ or B = _____ (std=6MM)
(std=23.5mm / 0.925")

X2 TOP/LEFT = _____ (minimum=3")
(std=3 1/2")

X2 BOTTOM/RIGHT = _____ (minimum=3")
(std=3 1/2")

X3 = _____ (optional) ** For equally spaced hinges,
 please use "equal" or
 X4 = _____ (optional) "centered" to fill in the X3,
 X4 and X5 fields

X5 = _____ (optional)

Handle Borings

of Holes: _____

K1 = _____ (Knob or Pull)
(standard=centered on frame)

K2 = _____ (Knob or Pull)
(Minimum=2 1/4") (standard=2 1/2")

KC = _____ (Pull only)
(center to center distance)