

Company: _____
 Contact Name: _____
 Address: _____
 City / State / Zip: _____
 Phone #: _____
 Email: _____

1 Door Type

- Aluminum Frame:

- AF001** (Max Height 48")
- AF002 AF003
- AF004 AF005
- AF006* AF007
- AF008** AF009
- AF010* AF011

*AF006 & AF010 available with opaque Backpainted Glass & Mirror inserts ONLY

** AF001 & AF008 are Narrow Profiles. Aventos bracket fabrication must be done by Element Designs.

- 18mm PARAPAN®

Color: _____

2 Profile Finish

- Anodized Finish

- Natural Anodized
- Brushed Stainless
- Chrome (AF003 & AF010 ONLY)
- Arctic Gold (AF003 ONLY)
- Brushed Black (AF003 ONLY)

- Powder Coat Finish

- Oil Rubbed Bronze
- White Black
- Onyx

3 Insert Type (select one) all inserts are 5/32" (4mm)

- Standard Glass Inserts:

- | | | |
|------------------------------|---------------------|-------------------|
| Satin (Acid Etched) | Listral D | Mirror |
| Clear | Master Carré | Bronze Clear |
| Low-Iron Clear | Reeded (Vertical) | Grey Clear |
| Low-Iron Satin (Acid Etched) | Reeded (Horizontal) | Bronze Reflective |
| | | Grey Reflective |

- Backpainted Glass Inserts:

Finish & Paint Color (select one of each): Standard Colors: White, Black, Bronze, Scarlet, Silver, Olive, Sand, Mocha, Slate

Gloss OR Matte
 Standard Color: _____

Non-Standard or Custom*: _____

*Custom Color match approval & fee applies. Contact Element Designs for details.
 **Backpainted glass has a light gray backer, unless otherwise specified

- 3form® Resin Inserts:

Pattern: _____

- PARAPAN® High Gloss Inserts:

Color: _____

- Metallic Inserts:

- | | |
|----------------------|-----------------------------|
| Aluminum Laminate | Stainless Lam. (Vertical) |
| Platinum Ice Acrylic | Stainless Lam. (Horizontal) |

- dECOLeather:

- | | |
|----------------------|----------------------|
| Coal Buffalo | Grey Thunder Buffalo |
| Antique Brown Walrus | |

- Custom Etch: Positive Negative

*Art work must be supplied, subject to set up fee. Contact Element Designs for details.
 All glass is tempered safety glass & will not have etched tempered logo unless otherwise specified at time of order. Refer to local building codes.

NO INSERT

Item	Qty	Door Dimensions		in OR mm	Element Designs Use Only	
		Width	Height		Price	Ext. Price
1						
2						
3						
4						
5						
6						
7						
8						

Special Instructions:	Hardware:	
	Subtotal:	
	Shipping:	
	TOTAL:	

Email (or fax) form to your authorized distributor:

Authorized Distributor: _____
 Branch Location: _____
 Email / Fax: _____
 Project Name: _____
 Date: _____ PO #: _____

4 Aventos HK-XS Drilling & Hardware

Include AVENTOS Lift System Hardware & Hinges with door:

YES NO

Pre-attach AVENTOS Door Mounting plate*:

YES NO

*Aventos Door Mounting Plate 20K4101 included with purchase of hardware.

Cabinet Construction: Frame Frameless

Door Overlay Dimensions:

Top Overlay: _____ mm
 Side Overlay: _____ mm

Drill pilot holes for mounting plate (Must provide overlay dimensions)
 DO NOT drill pilot holes for mounting plate*

* AF001 & AF008 Aventos plate fabrication must be done by Element Designs.

Lift Mechanisms Per Door

ONE lift mechanism per door**
 TWO lift mechanisms per door

**When viewed from BACK of door pilot holes will be on RIGHT

Hinge & Plate Hardware:

Hinge Hardware (select one): QTY: _____
 FULL Overlay Straight Arm with Blumotion Soft Close
 HALF Overlay with Blumotion Soft Close

Hinge Mounting Plate (select one): QTY: _____
 0mm (173H7100)
 3mm (173H7130)

Aventos Lift Mounting Plate (select one): QTY: _____
 FRAMELESS FRAME
 Screw-on (20K5101) Screw-on (20K5501)
 EXPANDO (20K51E1)


Door Mounting Plate QTY: _____
 20K4101 (wide frame)
 20K4101A (narrow frame)

5 Decorative Hardware & Handles

Drill for handle holes (Must specify handle location on pg 2)

Natural Anodized		Brushed Stainless & ORB	Various Finishes
Knobs	Bar Pulls	Bar Pulls	Finger Pulls
K001	P1-127	P1-76S	P2-42
K005	P1-190	P1-192S	P2-42S
K006	P1-250	P1-320S	P2-42ORB
K007	P1-380	P1-76ORB	P2-42W
K008	P1-640	P1-192ORB	P2-42B
K009	P1-880	P1-320ORB	P2-42X
			Other

QTY: _____



To locate L1 & L2 pilot holes for 20K4101 (wide frame) or 20K4101A (narrow frame) screw-on Door Mounting Plate:

FRAMELESS CABINETS with CLIP top hinge - WIDE frame doors:

- L1 = 15.5mm + Side Overlay
- L2 = 126mm + Mounting Plate Height + Hinge Arm Crank + Overlay

FRAMELESS CABINETS - NARROW frame doors: (Profiles AF001 & AF008):

- L1 = Overlay - 4.5mm
- L2 = 126mm + Mounting Plate Height + Hinge Arm Crank + Overlay

FRAME CABINETS with CLIP top hinge - WIDE frame doors:

- L1 = 15.5mm + Overlay
- L2 = 126mm + Mounting Plate Height + Hinge Arm Crank + Overlay

FRAME CABINETS - NARROW frame doors: (Profiles AF001 & AF008):

- L1 = Overlay - 4.5mm
- L2 = 126mm + Mounting Plate Height + Hinge Arm Crank + Overlay

FRAME CABINETS with COMPACT hinge - WIDE frame doors:

- L1 = 15.5mm + Overlay
- L2 = 134mm

HINGE ARM CRANK VALUES	
Straight Arm Crank (full overlay application)	= 0mm
Half-Cranked arm (half overlay application)	= 9.5mm
Full-Cranked arm (inset application)	= 18mm