

HPD UNIQUE IDENTIFIER: 23927

CLASSIFICATION: 08 11 00 Metal Doors and Frames

PRODUCT DESCRIPTION: Aluminum Door with Glass Insert Door size range: 12" x 18" to 18" x 28" Frame Profiles: AF002, AF004, AF005, AF006, AF010, AF014 Large Brackets

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and screening notes. Includes options for 'Nested Materials Method', '1,000 ppm', and 'Explanation(s) provided for Residuals/Impurities?'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
HPD has Identified - "No" because the metal alloys don't have a registered ID.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
DOOR GLASS [ SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)
BM-1 | CAN SODIUM OXIDE LT-UNK CALCIUM OXIDE (POST-CONSUMER) LT-1 | CAN ACRYLIC POLYMER NoGS TITANIUM DIOXIDE LT-1 | CAN | END FERRIC OXIDE BM-1 | CAN MAGNESIUM OXIDE LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES ] DOOR FRAME [ UNS A96063 ALUMINUM ALLOY NoGS ] DOOR CORNER BRACKETS [ UNS G10100 CARBON OR STEEL ALLOY NoGS ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY CHROMIUM COBALT OXIDE LT-1 | SKI | RES | CAN | GEN ] DOOR CORNER SCREWS [ UNS S30400 STAINLESS STEEL ALLOY NoGS ] VHB TAPE [ ACRYLIC POLYMERS NoGS ] DOOR GASKET [ POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1 | RES GLYCERYL MONOSTEARATE LT-UNK DIOCTYL TINBIS(2-ETHYLHEXYL MERCAPTOACETATE) LT-1 | REP | DEV | PBT | MUL | CAN OCTYL TIN TRIS(2-ETHYLHEXYL MERCAPTOACETATE) LT-UNK | PBT | CAN ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: n/a
CONSISTENCY WITH OTHER PROGRAMS
No pre-checks completed or disclosed

Third Party Verified? [ ] Yes
PREPARER: Self-Prepared
VERIFIER:
SCREENING DATE: 2021-02-19
PUBLISHED DATE: 2021-02-24



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### DOOR GLASS

#: 47.3000 - 67.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered following the HPD guidelines of Emerging Best Practices for consideration of Residuals and Impurities and based on the AGC Beyond Glass SDS. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: Glass amount varies based on aluminum frame profile

### SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 37241-25-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-02-19 11:19:14

#: 70.0000 - 80.0000

GS: BM-1

RC: PreC

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

GHS - Australia

H350i - May cause cancer by inhalation

CAN

GHS - Japan

Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### SODIUM OXIDE

ID: 1313-59-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-02-19 11:19:14

#: 10.0000 - 15.0000

GS: LT-UNK

RC: PreC

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### CALCIUM OXIDE (POST-CONSUMER)

ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-02-19 11:19:15

#: 5.0000 - 10.0000

GS: LT-1

RC: PreC

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### ACRYLIC POLYMER

ID: 9063-87-0

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2021-02-19 11:19:17</b>
%: <b>0.0000 - 0.7000</b> GS: <b>NoGS</b> RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Surface modifier</b>	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Main polymeric ingredient in all paint options in back-painted glass versions of the aluminum doors.

### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2021-02-19 11:19:17</b>
%: <b>0.0000 - 0.3100</b> GS: <b>LT-1</b> RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Pigment</b>	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Pigment for white base paint in back-painted glass versions of the aluminum doors. Other pigments for other colors are all below the 1000 ppm threshold.

### FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2021-02-19 11:19:16</b>
%: <b>0.0000 - 2.0000</b> GS: <b>BM-1</b> RC: <b>PreC</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Glass component</b>	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:16**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:16**

#: **0.0000 - 3.0000** GS: **BM-2** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Data from AGC Flat Glass North American Safety Data Sheet 7/3/2015. Recycled content from AGC LEED product brochure is an average of 30% pre-consumer internal and external cullet.

[www.agc-yourglass.com/sites/default/files/agc\\_docs/brochureA4\\_LEED\\_EN\\_LR.pdf](http://www.agc-yourglass.com/sites/default/files/agc_docs/brochureA4_LEED_EN_LR.pdf)

### DOOR FRAME

#: **27.8000 - 39.3000**

MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered following the HPD guidelines of Emerging Best Practices for consideration of Residuals and Impurities and based on a RioTintoAlcan Certificate of Analysis. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: Aluminum frame percentage depends on the frame profile.

**UNS A96063 ALUMINUM ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:13**%: **100.0000 - 100.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Data from RioTintoAlcan Certificate of Analysis for Aluminum 6063 alloy dated 4/8/2020. No recycled content.

Composition is Al 98.87%, Mg = 0.49%, Si = 0.43%, Fe = 0.17%, Mn = 0.03%, Ti = 0.01%, Cu, Cr, Zn &lt; 0.01%.

**DOOR CORNER BRACKETS**%: **4.3900 - 12.3200**MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered following the HPD guidelines of Emerging Best Practices for consideration of Residuals and Impurities and based on the Ryerson Carbon and Alloy Steels SDS. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: 4 steel brackets fit into the mitered aluminum extrusion channels in each of the corners of the frame and are screwed in place to secure the frame.

Steel Brackets are Zinc and Chromium-Cobalt conversion coating plated for corrosion resistance by the supplier.

**UNS G10100 CARBON OR STEEL ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:14**%: **99.7000 - 99.9000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Carbon steel alloy grade provided by steel supplier. The steel is coated with zinc and chromium cobalt conversion coatings for additional corrosion resistance.

**ZINC, ELEMENTAL**ID: **7440-66-6**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:15**%: **0.0500 - 0.1500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Zinc plated corrosion coating for carbon steel brackets. 0.00025" thickness (6.35 microns) estimated by supplier. Variation across brackets estimated as 50% more and less thickness.

### CHROMIUM COBALT OXIDE

ID: 37382-24-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:16**

#: **0.0500 - 0.1500** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	MAK	Germ Cell Mutagen 3a

SUBSTANCE NOTES: Chromium cobalt conversion coating on top of zinc corrosion layer for carbon steel brackets. 0.00025" thickness (6.35 microns) estimated by supplier. Variation across brackets estimated as 50% more and less thickness.

### DOOR CORNER SCREWS

#: **0.1100 - 0.3200**

MATERIAL THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered following the HPD guidelines of Emerging Best Practices for consideration of Residuals and Impurities and based on the Walsin Lihwa Corporation 304J3-S SDS. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: 2 stainless steel screws connect aluminum frame extrusions together for each of the 4 corner brackets.

**UNS S30400 STAINLESS STEEL ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:13**%: **100.0000 - 100.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Data from WAL SIN LIHWA CORP. Safety Data Sheet (SDS) dated 2019/03/08  
 WAL SIN LIHWA CORP. TRADE MARK 304J3-S  
 Product Name: Stainless Steel Wire Rod

**VHB TAPE**%: **0.0000 - 0.7500**

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on a 3M VHB Tape MSDS and Product letter Steels. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: 3M VHB Tape (4910) used to secure the glass to the frame only for door profiles AF006 and AF010. All other frames in this group use a gasket instead of tape.

**ACRYLIC POLYMERS**ID: **903501-20-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:14**%: **99.0000 - 100.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: According to letter from 3M dated 1/28/21, VHB Tape #4910 has only acrylic polymer at 100 ppm or greater.

**DOOR GASKET**%: **0.0000 - 0.7200**

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered following the HPD guidelines of Emerging Best Practices for consideration of Residuals and Impurities and based on the Teknor Apex APEX RE 8114 UV NT CLR BLU RB3 PVC COMPOUND SDS. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER MATERIAL NOTES: A PVC-based polymer gasket used to secure the glass in frame profiles AF002, AF004, AF005, and AF014. VHB Tape is used instead of the gasket for frame profiles AF006 and AF010.

**POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)**ID: **93050-82-9**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:14**%: **89.0000 - 98.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Sealant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Data From Teknor Apex Safety Data Sheet for APEX RE 8114 UV NT CLR BLU RB3, Product Code 1058024



## GLYCERYL MONOSTEARATE

ID: 31566-31-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:15**%: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Sealant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Data From Teknor Apex Safety Data Sheet for APEX RE 8114 UV NT CLR BLU RB3, Product Code 1058024

## DIOCTYL TIN BIS(2-ETHYLHEXYL MERCAPTOACETATE)

ID: 15571-58-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:15**%: **1.0000 - 5.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
PBT	EU - ESIS PBT	Under PBT evaluation
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
DEV	EU - GHS (H-Statements)	H360D - May damage the unborn child
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
DEV	GHS - Australia	H360D - May damage the unborn child
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REP	GHS - Japan	Toxic to reproduction - Category 1A [H360]

SUBSTANCE NOTES: Data From Teknor Apex Safety Data Sheet for APEX RE 8114 UV NT CLR BLU RB3, Product Code 1058024

## OCTYL TIN TRIS(2-ETHYLHEXYL MERCAPTOACETATE)

ID: 27107-89-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-19 11:19:17**%: **0.0000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EU - ESIS PBT	Under PBT evaluation
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Data From Teknor Apex Safety Data Sheet for APEX RE 8114 UV NT CLR BLU RB3, Product Code 1058024



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

n/a

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-02-

EXPIRY DATE:

CERTIFIER OR LAB: n/a

APPLICABLE FACILITIES: n/a

19

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product has not been tested for VOC emissions.

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Element Designs  
**ADDRESS:** Element Designs  
 235 Crompton Street  
 Charlotte NC 28273, United States  
**WEBSITE:** www.element-designs.com

**CONTACT NAME:** Olivia Banks  
**TITLE:** A&D Account Manager  
**PHONE:** 704-332-3114  
**EMAIL:** olivia@element-designs.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*